

DOWNLIGHT




Punt



PUNT | CL - 010101 | Downlight



Ø 30mm



CARACTERISTICAS

AMPERAJE	350 mA
POTENCIA	1X1 W
CRI	>80

COLOR - LM

2700°K	80 lm
3000°K	87 lm

OPTICA


20°



PUNT | CL - 010102 | Downlight



Ø 40mm



CARACTERISTICAS

AMPERAJE	350 mA
POTENCIA	1X1 W
CRI	>80

COLOR - LM

2700° K	80 lm
3000° K	87 lm
4000° K	93 lm

OPTICA


20°



PUNT | CL - 010103 | Downlight



Ø 43mm



CARACTERISTICAS

AMPERAJE	650 mA
POTENCIA	1X3 W
CRI	>90

COLOR - LM

3000° K	167 lm
4500° K	180 lm
6000° K	232 lm

OPTICA


15°

30°

60°



PUNT | CL - 010104 | Downlight



CARACTERISTICAS

AMPERAJE	650 mA
POTENCIA	1X3 W
CRI	>90

COLOR - LM


3000° K	167 lm
4500° K	180 lm
6000° K	222 lm

OPTICA

15°
30°
60°



PUNT | CL - 010105 | Downlight



CARACTERISTICAS

AMPERAJE	650 mA
POTENCIA	1X3 W
CRI	>90

COLOR - LM


3000° K	167 lm
4500° K	180 lm
6000° K	222 lm

OPTICA

30°



PUNT | CL - 010106 | Downlight



CARACTERISTICAS

AMPERAJE	700 mA
POTENCIA	1X3 W
CRI	>90


COLOR - LM

3000° K	144 lm
---------	--------

OPTICA

20°
30°





CARACTERISTICAS

AMPERAJE	700 mA
POTENCIA	1X3 W
CRI	>90

COLOR - LM

3000° K	144 lm
---------	--------

OPTICA

20°
30°



