


DOWNLIGHT



Ala



ALA | CL - 012001 | Downlight



CARACTERÍSTICAS

AMPERAJE	300 mA
POTENCIA	1X7 W
CRI	>90

COLOR - LM

3000° K	525 lm
---------	--------


OPTICA

24°

36°



ALA | CL - 012002 | Downlight



CARACTERÍSTICAS

AMPERAJE	400 mA
POTENCIA	1X15 W
CRI	>90

COLOR - LM

3000° K	1556 lm
---------	---------


OPTICA

24°

36°



ALA | CL - 012003 | Downlight



CARACTERÍSTICAS

AMPERAJE	350 mA
POTENCIA	1X7 W
CRI	>90

COLOR - LM


3000° K	525 lm
---------	--------

OPTICA

24°

36°





CARACTERISTICAS

AMPERAJE	400 mA
POTENCIA	1X15 W
CRI	>90

COLOR - LM

3000° K	1556 lm
---------	---------

OPTICA

24°
36°





PERSONA

Maximizamos productos entre hechos para interactuar con ellos. Por eso las personas están siempre en el centro de nuestras acciones de innovación. Sólo entendiendo sus necesidades podemos ofrecer soluciones para todos y cada uno de nuestros clientes.

"Como sabemos, cada día el mundo de la tecnología avanza, y por eso debemos estar siempre al día, para poder ofrecer soluciones que realmente importen."