



Prima



PRIMA | CL - 050201 | Colgantes



CARACTERISTICAS

VOLTAJE	12 V
POTENCIA	1X1,5 W
CRI	>80

COLOR - LM

3000°K	120 lm
5600°K	132 lm

OPTICA

difusa

A MEDIDA



PRIMA | CL - 050202 | Colgantes



CARACTERISTICAS

VOLTAJE	100 - 240 V
POTENCIA	1X3 W
CRI	>80

COLOR - LM

3000°K	315 lm
--------	--------

OPTICA

difusa



PRIMA | CL - 050203 | POSTES



CARACTERISTICAS

VOLTAJE	100 - 240 V
POTENCIA	1X3 W
CRI	>80


COLOR - LM

3000°K	315 lm
--------	--------

OPTICA

40°





CARACTERISTICAS



VOLTAJE	100 - 240 V
POTENCIA	1X3 W
CRI	>80

COLOR - LM

3000°K	315 lm
--------	--------

OPTICA

40°



CARACTERISTICAS


VOLTAJE	100 - 240 V
POTENCIA	1X3 W
CRI	>80

COLOR - LM

3000°K	315 lm
--------	--------

OPTICA

30°



CARACTERISTICAS

AMPERAJE	230 V
POTENCIA	1X7 W
CRI	>80

COLOR - LM

3000°K	630 lm
--------	--------

OPTICA

20°





BATLLE I ROIG ARQUITECTES
ALTIMA TANATORIO L'HOSPITALET GRAN VIA L'HOSPITALET DE LLOBREGAT

PRIMA - Albert Gil, Batlle i Roig

Su estilizado diseño permite crear grupos de luminarias, combinándolas entre sí. PRIMA se desarrolló a medida, junto con el despacho de arquitectura Batlle i Roig.

Partiendo de su cuerpo de 2 cm de diámetro, PRIMA, nos permite crear una gran variedad de formatos distintos, combinando tamaños, materiales y acabados.

Its stylized design allows to create lamps groups, making combinations between them. PRIMA was tailor-made with the architecture buffete Batlle i Roig.

With its 2cm diameter body, PRIMA, allow us to create a big range of different shapes, making size combinations, materials and finishings.